

22C:16 Quiz 7
Date: Mar 20th, 2012

1. [5 points] What does each of the following expression evaluate to? Assume that `isPrime` is a boolean function that takes one argument and returns `True` if that argument is a *prime number*; otherwise the function returns `False`. Assume that `concat` is a function that takes two arguments `a` and `b` and returns `a + b`.

(a) `map(range, range(1, 10, 3))`

(b) `len(filter(isPrime, range(20)))`

(c) `reduce(concat, map(str, range(1, 15, 3)))`

(d) `reduce(concat, range(1, 10, 2))`

(e) `reduce(concat, reduce(concat, map(range, range(5))))`

Turn over for Problem 2.

2. [5 points] Here is a partially completed function called `secondMax` that takes a list of numbers as a parameter and returns the number that is second largest in the list. For example, if the given list is `[-1, 11, 3, 8, 1, 7]` then the function would return `8`. If the given list is `[-1, 11, 3, 11, 1, 7]` then the function would return `11`. Using the built-in Python functions and methods, we can solve this problem in 3 lines of code. The idea is to find the maximum element `m`, then find the index (position) of `m`, and then find the maximum element in the list obtained by excluding `m`. Your task is to supply the two missing lines of code.

```
def secondMax(L):  
    m = max(L)  
  
    -----  
  
    return -----
```