

Functions and Modules Revisited



FEB 13TH, 2013

Functions in Python



- A function in math, often denoted $f : X \rightarrow Y$, associates with x in X a unique value $f(x)$ in Y .
- **Examples:** (a) $f(x) = x^2$. Here x can be any real number and $f(x)$ is a non-negative real number .
$$f(3) = 9, f(-1.1) = 1.21, f(15) = 225, \text{ etc.}$$
- (b) $f(x) = \sqrt{x}$. Here x can be any *positive* real number and $f(x)$ is a *positive* real number.
$$f(25) = 5, f(100) = 10, f(20) = 4.47213, \text{ etc.}$$
- x is called the *argument* to the function f .
- We are also taught to sometimes view $f : X \rightarrow Y$ as a “black box” to which you provide an x as input and out comes $f(x)$.

Functions in Python



- Most programming languages provide ways of defining the *computational* equivalent of this.
- For example, the `math` module contains the definition of a function called `sqrt`.
- This is a piece of Python code that, when given the value of an *argument*, computes and returns the square root of that argument.
- This allows us to write code such as:

```
factorBound = math.sqrt(n)
```

Functions in Python



- One way to categorize functions in Python is:
 1. **Built-in functions:** these functions pre-defined and are always available.
 2. **Functions defined in modules:** these functions are pre-defined in particular modules and can only be used when the corresponding module is imported.
 3. **User defined functions:** these are defined by the programmer.

Built-in Functions



- Python documentation lists 80 built-in functions at: <http://docs.python.org/library/functions.html>
- Math functions: `abs(x)`, `round(x, n)`
- Type conversion functions:
`bool(x)`, `float(x)`, `int(x)`, `long(x)`, `str(x)`
- Input functions: `raw_input(x)`, `input(x)`
- Miscellaneous: `len(x)`, `type(x)`

What is input()?



- The function `input(prompt)` treats what the user types as input as a Python expression and returns the evaluated value.
- I prefer `raw_input(prompt)` to `input(prompt)` in general because it gives the programmer more control on how to interpret the input.
- `input(prompt)` is okay when all you are expecting is simple numeric input.
- In Python version 3, `raw_input(prompt)` has been renamed as `input(prompt)`.

Functions in modules



- The modules we have used so far are:
`sys`, `math`, `time`
- There are 100s of “standard” modules in Python:
 - Generation of random numbers and probability distributions
 - Accessing files and directories
 - Web development
 - Network programming
 - Graphics, etc.
- A module is simply a file (just like the files that you have been creating your programs in) that contains related Python statements and function definitions.
- Programmers can define their own modules. There are 1000s of third-party modules available for Python.

Importing from modules



- We have used statements of the form

```
import math
```

to import from modules.

- When we import a module X in this manner, we need to use $X.name$ to refer to an item called $name$ that is defined in the module X .
- **Examples:** `math.sqrt(25)` or `math.pi`
- There are some other ways of importing from modules as well.

Another way of importing from modules



- You can also use
`from X import f`
- Here `X` is a module name and `f` is the name of a function defined in `X`.
- In this case, you can directly refer to `f`, without using the “`X.`” prefix.
- Try
`from math import sqrt`
You can use `sqrt(35)` without the “`math.`” prefix.
- You can also use
`from math import *`
In this case *all* items in the `math` module can be used without the “`math.`” prefix.
- Beware of
 - new items (variables, functions, etc.) that you don’t know about, coming into existence
 - and new items overriding items you have defined