

# CS:5810 Formal Methods in Software Engineering

## Reasoning About Programs in Dafny

*Copyright 2020-22, Graeme Smith and Cesare Tinelli.*

*Produced by Cesare Tinelli at the University of Iowa from notes originally developed by Graeme Smith at the University of Queensland. These notes are copyrighted materials and may not be used in other course settings outside of the University of Iowa in their current form or modified form without the express written permission of one of the copyright holders. During this course, students are prohibited from selling notes to or being paid for taking notes by any person or commercial firm without the express written permission of one of the copyright holders.*

# Program Correctness

Is this program fragment correct?

```
x = 0;  
y = a;  
while (y > 0) {  
    x = x + b;  
    y = y - 1;  
}
```

**Recall:** A program can only be said to be correct **with respect to a specification**

# Correctness

Is this program fragment correct with respect to the following specification?

*“Given integers  $a$  and  $b$ , the program produces in  $x$  the product of  $a$  and  $b$ ”*

```
x = 0;  
y = a;  
while (y > 0) {  
    x = x + b;  
    y = y - 1;  
}
```

# Correctness

Is this program fragment correct with respect to the following specification?

*“Given **positive** integers  $a$  and  $b$ , the program produces in  $x$  the product of  $a$  and  $b$ ”*

```
x = 0;  
y = a;  
while (y > 0) {  
    x = x + b;  
    y = y - 1;  
}
```

# Design by Contract

Specification of example program:

*“Given positive integers  $a$  and  $b$ , the program produces in  $x$  the product of  $a$  and  $b$ ”*

**requires**  $a$  and  $b$  to be positive integers  
**ensures**  $x$  is the product of  $a$  and  $b$

**Precondition:** caller needs to ensure this to get a meaningful result

**Postcondition:** callee guarantees this when precondition is met

# Timsort

- Timsort is a sorting algorithm developed for Python by Tim Peters in 2002.
- It uses a combination of merge sort and insertion sort.
- It was designed to perform well on real-world data (with *runs* of descending values, and of non-descending values).
- Ported to Java 1.7 (`java.util.Collections.sort` and `java.util.Arrays.sort`) in 2011.
- Default sorting algorithm for Android SDK, Oracle's JDK and Open JDK.

# Timsort bug

Bug in Timsort discovered in 2015.

```
git clone https://github.com/abstools/java-timsort-bug.git
cd java-timsort-bug
javac *.java
java TestTimSort 67108864
```

leads to

```
Exception in thread "main"
java.lang.ArrayIndexOutOfBoundsException: 40
at java.util.TimSort.pushRun(TimSort.java:413)
at java.util.TimSort.sort(TimSort.java:240)
at java.util.Arrays.sort(Arrays.java:1438)
at TestTimSort.main(TestTimSort.java:18)
```



Stijn de Gouw  
CWI, The Netherlands

# Formal verification

To formally verify a program you need

- A formal (i.e., mathematical) specification
- A formal proof
- Automated tools (Timsort found using the KeY tool)
- Expertise

Learning about specification and proof **sharpens thinking**




# Formal verification

## Some program verification tools

- KeY, OpenJML – Java
- VCC, Verifast, Smack – C
- Spec# – C#
- Stainless, Sireum – Scala
  
- Why3 – WhyML
- Dafny – Dafny

# Formal verification



# Educational objectives

Learn how to

- **specify** precisely what a program is supposed to do
- **verify** that a program behaves as specified
- **derive** a program that behaves as specified
- **use** the Dafny programming language and verifier for that

# Introduction to Dafny

```
method Triple(x: int) returns (r: int)
  ensures r == 3 * x
{
  var y := 2 * x;
  r := x + y;
}
```

The **caller** should not be able to see a method's body,  
only its **specification**

The specification describes the method's behavior,  
abstracting from the details of the method's body

# Introduction to Dafny

```
method Triple(x: int) returns (r: int)
  ensures r == 3 * x
{
  var y := Double(x);
  r := x + y;
}
```

```
method Double(x: int) returns (r: int)
  ensures r == 2 * x
```

# Introduction to Dafny

```
method Triple(x: int) returns (r: int)
  requires x >= 0
  ensures r == 3 * x
{
  var y := Double(x);
  r := x + y;
}
```

```
method Double(x: int) returns (r: int)
  requires x >= 0
  ensures r == 2 * x
```

# Introduction to Dafny

```
method Triple(x: int) returns (r: int)
  ensures r == 3 * x
{
  if x >= 0 {
    var y := Double(x); r := x + y;
  } else {
    var y := Double(-x); r := x - y;
  }
}
```

```
method Double(x: int) returns (r: int)
  requires x >= 0
  ensures r == 2 * x
```

# Logic in Dafny

true false

!A

“not A”

A && B

“A and B”

A || B

“A or B”

A ==> B

“A implies B” or “A only if B”

A <==> B

“A if and only if B”

Precedence order: ! && || ==> <==>

forall x :: A

“for all x, A is true”

exists x :: A

“there exists an x such that A is true”



# Program state

```
method MyMethod(x: int) returns (y: int)
  requires x >= 10
  ensures y >= 25
{
  var a := x + 3;
  var b := 12;
  y := a + b;
}
```

The program variables  $x$ ,  $y$ ,  $a$ , and  $b$ , collectively constitute the method's *state*

**Note:** not all program variables are in scope the whole time

# Floyd logic

```
method MyMethod(x: int) returns (y: int)
  requires x >= 10
  ensures y >= 25
{
  // here, we know x >= 10
  var a := x + 3;
  // here, a == x+3 && x >= 10
  var b := 12;
  // here, a == x+3 && x >= 10 && b == 12
  y := a + b;
  // here, a == x+3 && x >= 10 && b == 12 &&
  //           y == a + b
}
```

# Floyd logic

```
method MyMethod(x: int) returns (y: int)
  requires x >= 10
  ensures y >= 25
{
  // here, we know x >= 10
  var a := x + 3;
  // here, a == x+3 && x >= 10
  var b := 12;
  // here, a == x+3 && x >= 10 && b == 12
  y := a + b;
  // here, a == x+3 && x >= 10 && b == 12 &&
  //      y == a + b
}
```

Last constructed condition implies  
the required postcondition

# Floyd logic

```
method MyMethod(x: int) returns (y: int)
  requires x >= 10
  ensures y >= 25
{
  // here, we want  $x + 3 + 12 \geq 25$ 
  var a := x + 3;
  // here, we want  $a + 12 \geq 25$ 
  var b := 12;
  // here, we want  $a + b \geq 25$ 
  y := a + b;
  // here, we want  $y \geq 25$ 
}
```

# Floyd logic

```
method MyMethod(x: int) returns (y: int)
  requires x >= 10
  ensures y >= 25
{
  // here, we want x + 3 + 12 >= 25
  var a := x + 3;
  // here, we want a + 12 >= 25
  var b := 12;
  // here, we want a + b >= 25
  y := a + b;
  // here, we want y >= 25
}
```

Last calculated  
condition is implied  
by the stated  
precondition

# Exercise 1

Consider a method with the type signature below which returns in  $s$  to the sum of  $x$  and  $y$  and in  $m$  the maximum of  $x$  and  $y$ :

```
method MaxSum(x: int, y: int) returns (s: int, m: int)
```

Write the postcondition specification for this method

## Exercise 2

Consider a method that attempts to reconstruct the arguments  $x$  and  $y$  from the return values of `MaxSum` in Exercise 1. In other words, consider a method with the following type signature and same postcondition as the method of Exercise 1:

```
method ReconstructFromMaxSum(s: int, m: int)  
returns (x: int, y: int)
```

This method cannot be implemented. Write an appropriate precondition for the method that allows you to implement it.