

CS:4420 Artificial Intelligence

Spring 2018

First-Order Logic

Cesare Tinelli

The University of Iowa

Copyright 2004–18, Cesare Tinelli and Stuart Russell ^a

^a These notes were originally developed by Stuart Russell and are used with permission. They are copyrighted material and may not be used in other course settings outside of the University of Iowa in their current or modified form without the express written consent of the copyright holders.

Readings

- Chap. 8 of [Russell and Norvig, 2012]

Pros and cons of Propositional Logic

- + PL is **declarative**: pieces of syntax correspond to facts
- + PL allows partial/disjunctive/negated information (unlike most data structures and databases)
- + Propositional logic is **compositional**:
meaning of $B_{1,1} \wedge P_{1,2}$ is derived from meaning of $B_{1,1}$ and of $P_{1,2}$
- + Meaning in propositional logic is **context-independent** (unlike natural language, where meaning depends on context)
- Propositional logic has very limited expressive power (unlike natural language)
E.g., cannot say “pits cause breezes in adjacent squares” except by writing one sentence for each square

First-order logic

Whereas propositional logic assumes world contains **facts**, first-order logic (like natural language) assumes the world contains

- **Objects**: people, houses, numbers, theories, Ronald McDonald, colors, baseball games, wars, centuries, ...
- **Relations**: red, round, bogus, prime, brother of, bigger than, inside, part of, has color, occurred after, owns, comes between, ...
- **Functions**: father of, best friend, third inning of, one more than, end of, ...

Syntax of FOL: Basic elements

| | |
|------------------|--|
| Constant symbols | <i>KingJohn, 2, Potus, [], ...</i> |
| Relation symbols | <i>Brothers(-,-), - > -, Red(-), ...</i> |
| Function symbols | <i>Sqrt(-), LeftLegOf(-), - + -, ...</i> |
| Variables | <i>x, y, a, b, ...</i> |
| Connectives | $\wedge \vee \neg \Rightarrow \Leftrightarrow$ |
| Equality | $=$ |
| Quantifiers | $\forall \exists$ |

Atomic sentences

Atomic sentence = $relation(term_1, \dots, term_n)$
or $term_1 = term_2$

Term = $function(term_1, \dots, term_n)$
or *constant* or *variable*

E.g., $Brother(KingJohn, RichardTheLionheart),$

$Length(LeftLegOf(RobinHood)) > Length(LeftLegOf(KingJohn))$

Complex sentences

Complex sentences are made from atomic sentences using connectives

$$\neg S, \quad S_1 \wedge S_2, \quad S_1 \vee S_2, \quad S_1 \Rightarrow S_2, \quad S_1 \Leftrightarrow S_2$$

E.g. $Siblings(KingJohn, Richard) \Rightarrow Siblings(Richard, KingJohn)$

$$x > 2 \vee 1 < x$$

$$1 > 2 \wedge \neg y > 2$$

Language of FOL: Grammar

| | | |
|------------|-----|--|
| Sentence | ::= | AtomicS ComplexS |
| AtomicS | ::= | True False RelSymb(Term, ...) Term = Term |
| ComplexS | ::= | (Sentence) Sentence Connective Sentence \neg Sentence Quantifier Sentence |
| Term | ::= | FunSymb(Term, ...) ConstSymb Variable |
| Connective | ::= | \wedge \vee \Rightarrow \Leftrightarrow |
| Quantifier | ::= | \forall Variable \exists Variable |
| Variable | ::= | <i>a</i> <i>b</i> ... <i>x</i> <i>y</i> ... |
| ConstSymb | ::= | <i>A</i> <i>B</i> ... <i>John</i> <i>0</i> <i>1</i> ... π ... |
| FunSymb | ::= | <i>F</i> <i>G</i> ... <i>Cosine</i> <i>Height</i> <i>FatherOf</i> <i>+</i> ... |
| RelSymb | ::= | <i>P</i> <i>Q</i> ... <i>Red</i> <i>Brother</i> <i>Apple</i> <i>></i> ... |

Truth in first-order logic

Sentences are true with respect to a **model** and an **interpretation**

A model contains ≥ 1 objects (**domain elements**) and relations and functions over them

An interpretation specifies referents for

variables \rightarrow objects


constant symbols \rightarrow objects

predicate symbols \rightarrow relations

function symbols \rightarrow functional relations

An atomic sentence $P(t_1, \dots, t_n)$ is true in an interpretation iff the objects referred to by t_1, \dots, t_n are in the relation referred to by P

Models for FOL: Example



Truth example

Consider the interpretation in which

Richard → Richard the Lionheart

John → the evil King John

Brother → the brotherhood relation

Under this interpretation, *Brother(Richard, John)* is true just in case Richard the Lionheart and the evil King John are in the brotherhood relation in the model

Semantics of First-Order Logic

(A little) more formally:

An *interpretation* \mathcal{I} is a pair (\mathcal{D}, σ) where


- \mathcal{D} is a set of objects, the universe (or *domain*)
- σ is mapping from variables to objects in \mathcal{D}
- $C^{\mathcal{I}}$ is an object in \mathcal{D} for every constant symbol c
- $F^{\mathcal{I}}$ is a function from \mathcal{D}^n to \mathcal{D} for every function symbol f of arity n
- $R^{\mathcal{I}}$ is a relation over \mathcal{D}^n for every relation symbol r of arity n

An Interpretation \mathcal{I} in the Blocks World

Constant Symbols: A, B, C, D, E, T

Function Symbols: $Support$

Relation Symbols: $On, Above, Clear$



$$A^{\mathcal{I}} = a, B^{\mathcal{I}} = b, C^{\mathcal{I}} = c, D^{\mathcal{I}} = d, E^{\mathcal{I}} = e, T^{\mathcal{I}} = t$$

$$Support^{\mathcal{I}} = \{\langle a, b \rangle, \langle b, c \rangle, \langle c, t \rangle, \langle d, e \rangle, \langle e, t \rangle, \langle t, t \rangle\}$$

$$On^{\mathcal{I}} = \{\langle a, b \rangle, \langle b, c \rangle, \langle c, t \rangle, \langle d, e \rangle, \langle e, t \rangle\}$$

$$Above^{\mathcal{I}} = \{\langle a, b \rangle, \langle a, c \rangle, \langle a, t \rangle, \dots\}$$

$$Clear^{\mathcal{I}} = \{\langle a \rangle, \langle d \rangle\}$$

Semantics of First-Order Logic

Let $\mathcal{I} = (\mathcal{D}, \sigma)$ be an interpretation and E an expression of FOL

We write $\llbracket e \rrbracket^{\mathcal{I}}$ to denote the *meaning of e in \mathcal{I}*

The meaning $\llbracket t \rrbracket^{\mathcal{I}}$ of a term t is an object of \mathcal{D} , inductively defined as follows:

$$\begin{aligned}\llbracket x \rrbracket^{\mathcal{I}} &:= \sigma(x) && \text{for all variables } x \\ \llbracket c \rrbracket^{\mathcal{I}} &:= c^{\mathcal{I}} && \text{for all constant symbols } c \\ \llbracket f(t_1, \dots, t_n) \rrbracket^{\mathcal{I}} &:= f^{\mathcal{I}}(\llbracket t_1 \rrbracket^{\mathcal{I}}, \dots, \llbracket t_n \rrbracket^{\mathcal{I}}) && \text{for all } n\text{-ary function symbols } f\end{aligned}$$

Example

Consider the symbols *MotherOf*, *SpouseOf* and the interpretation $\mathcal{I} = (\mathcal{D}, \sigma)$ where

MotherOf ^{\mathcal{I}} is a unary fn mapping people to their mother

SpouseOf ^{\mathcal{I}} is a unary fn mapping people to their spouse

$$\sigma := \{x \mapsto \mathbf{Bart}, y \mapsto \mathbf{Homer}, \dots\}$$

What is the meaning of *SpouseOf*(*MotherOf*(*x*)) in \mathcal{I} ?

$$\begin{aligned} \llbracket \mathit{SpouseOf}(\mathit{MotherOf}(x)) \rrbracket^{\mathcal{I}} &= \mathit{SpouseOf}^{\mathcal{I}}(\llbracket \mathit{MotherOf}(x) \rrbracket^{\mathcal{I}}) \\ &= \mathit{SpouseOf}^{\mathcal{I}}(\mathit{MotherOf}^{\mathcal{I}}(x^{\mathcal{I}})) \\ &= \mathit{SpouseOf}^{\mathcal{I}}(\mathit{MotherOf}^{\mathcal{I}}(\sigma(x))) \\ &= \mathit{SpouseOf}^{\mathcal{I}}(\mathit{MotherOf}^{\mathcal{I}}(\mathbf{Bart})) \\ &= \mathit{SpouseOf}^{\mathcal{I}}(\mathbf{Marge}) \\ &= \mathbf{Homer} \end{aligned}$$

Semantics of First-Order Logic

Let $\mathcal{I} = (\mathcal{D}, \sigma)$ be an interpretation

The meaning $\llbracket \varphi \rrbracket^{\mathcal{I}}$ of a formula φ is either *True* or *False*

It is inductively defined as follows:

| | | | | |
|--|------|-------------------|-----|--|
| $\llbracket t_1 = t_2 \rrbracket^{\mathcal{I}}$ | $:=$ | <i>True</i> | iff | $\llbracket t_1 \rrbracket^{\mathcal{I}}$ is the same as $\llbracket t_2 \rrbracket^{\mathcal{I}}$ |
| $\llbracket r(t_1, \dots, t_n) \rrbracket^{\mathcal{I}}$ | $:=$ | <i>True</i> | iff | $\langle \llbracket t_1 \rrbracket^{\mathcal{I}}, \dots, \llbracket t_n \rrbracket^{\mathcal{I}} \rangle \in r^{\mathcal{I}}$ |
| $\llbracket \neg \varphi \rrbracket^{\mathcal{I}}$ | $:=$ | <i>True/False</i> | iff | $\llbracket \varphi \rrbracket^{\mathcal{I}} = \text{False/True}$ |
| $\llbracket \varphi_1 \vee \varphi_2 \rrbracket^{\mathcal{I}}$ | $:=$ | <i>True</i> | iff | $\llbracket \varphi_1 \rrbracket^{\mathcal{I}} = \text{True}$ or $\llbracket \varphi_2 \rrbracket^{\mathcal{I}} = \text{True}$ |
| $\llbracket \exists x \varphi \rrbracket^{\mathcal{I}}$ | $:=$ | <i>True</i> | iff | $\llbracket \varphi \rrbracket_{\sigma'}^{\mathcal{I}} = \text{True}$ for some σ' that disagrees with σ at most on x |

Semantics of First-Order Logic

Let $\mathcal{I} = (\mathcal{D}, \sigma)$ be an interpretation

The meaning of formulas built with the other logical symbols:

$$\begin{aligned} \llbracket \varphi_1 \wedge \varphi_2 \rrbracket^{\mathcal{I}} &:= \llbracket \neg(\neg\varphi_1 \vee \neg\varphi_2) \rrbracket^{\mathcal{I}} \\ \llbracket \varphi_1 \Rightarrow \varphi_2 \rrbracket^{\mathcal{I}} &:= \llbracket \neg\varphi_1 \vee \varphi_2 \rrbracket^{\mathcal{I}} \\ \llbracket \varphi_1 \Leftrightarrow \varphi_2 \rrbracket^{\mathcal{I}} &:= \llbracket (\varphi_1 \Rightarrow \varphi_2) \wedge (\varphi_2 \Rightarrow \varphi_1) \rrbracket^{\mathcal{I}} \\ \llbracket \forall x \varphi \rrbracket^{\mathcal{I}} &:= \llbracket \neg \exists x \neg \varphi \rrbracket^{\mathcal{I}} \end{aligned}$$

If a sentence is *closed*, i.e., it has no *free* variables, its meaning **does not depend** on the the variable assignment—although it may depend on the domain:

$$\llbracket \forall x \exists y R(x, y) \rrbracket^{\mathcal{I}} = \llbracket \forall x \exists y R(x, y) \rrbracket^{\mathcal{I}'} \quad \text{for any } \mathcal{I}' = (\mathcal{D}, \sigma')$$

Models, Validity, etc. for Sentences

An interpretation $\mathcal{I} = (\mathcal{D}, \sigma)$ *satisfies* a sentence φ , or is a *model* for φ , if $\llbracket \varphi \rrbracket^{\mathcal{I}} = \text{True}$

A sentence is *satisfiable* if it has at least one model

$$\text{Ex: } \forall x x \geq y, \quad P(x)$$

A sentence is *unsatisfiable* if it has no models

$$\text{Ex: } P(x) \wedge \neg P(x), \quad \neg(x = x), \quad (\forall x Q(x, y)) \Rightarrow \neg Q(a, b)$$

A sentence φ is *valid* if every interpretation is a model for it

$$\text{Ex: } P(x) \Rightarrow P(x), \quad x = x, \quad (\forall x P(x)) \Rightarrow \exists x P(x)$$

Note: φ is *valid/unsatisfiable* iff $\neg\varphi$ is *unsatisfiable/valid*

Models, Validity, etc. for Sets of Sentences

An interpretation (\mathcal{D}, σ) *satisfies* a set Γ of sentences, or is a *model* for Γ , if it is a model for every sentence in Γ

A set Γ of sentences is *satisfiable* if it has at least one model

$$\text{Ex: } \{\forall x x \geq 0, \forall x x + 1 > x\}$$

Γ is *unsatisfiable*, or *inconsistent*, if it has no models

$$\text{Ex: } \{P(x), \neg P(x)\}$$

Γ *entails* a sentence φ ($\Gamma \models \varphi$), if every model for Γ is also a model for φ

$$\text{Ex: } \{\forall x P(x) \Rightarrow Q(x), P(A_{10})\} \models Q(A_{10})$$

Note: As in propositional logic, $\Gamma \models \varphi$ iff $\Gamma \wedge \neg\varphi$ is unsatisfiable

Possible Interpretations Semantics

Sentences can be seen as *constraints* on the set S of all possible interpretations.

A sentence *denotes* all the possible interpretations that satisfy it (the models of φ):

If φ_1 denotes a set of interpretations S_1 and φ_2 denotes a set S_2 , then

- $\varphi_1 \vee \varphi_2$ denotes $S_1 \cup S_2$,
- $\varphi_1 \wedge \varphi_2$ denotes $S_1 \cap S_2$,
- $\neg\varphi_1$ denotes $S \setminus S_1$,
- $\varphi_1 \models \varphi_2$ iff $S_1 \subseteq S_2$.

A sentence denotes either no interpretations or an infinite number of them!

Valid sentences do not tell us anything about the world. They are satisfied by every possible interpretation!

Models for FOL: Lots!

We *can* enumerate the models for a given FOL sentence:

For each number of universe elements n from 1 to ∞

For each k -ary predicate P_k in the sentence

For each possible k -ary relation on n objects

For each constant symbol C in the sentence

For each one of n objects mapped to C

...

Enumerating models is not going to be easy!

Universal quantification

$\forall \langle \text{variables} \rangle \langle \text{sentence} \rangle$

Everyone at Berkeley is smart:

$\forall x \text{ At}(x, \text{Berkeley}) \Rightarrow \text{Smart}(x)$

$\forall x P$ is true in a model m iff P is true with x being each possible object in the model

Roughly speaking, equivalent to the conjunction of instantiations of P

$(\text{At}(\text{KingJohn}, \text{Berkeley}) \Rightarrow \text{Smart}(\text{KingJohn}))$
 $\wedge (\text{At}(\text{Richard}, \text{Berkeley}) \Rightarrow \text{Smart}(\text{Richard}))$
 $\wedge (\text{At}(\text{Berkeley}, \text{Berkeley}) \Rightarrow \text{Smart}(\text{Berkeley}))$
 $\wedge \dots$

Existential quantification

$\exists \langle \text{variables} \rangle \langle \text{sentence} \rangle$

Someone at Stanford is smart:

$\exists x \text{ At}(x, \text{Stanford}) \wedge \text{Smart}(x)$

$\exists x P$ is true in a model m iff P is true with x being **some** possible object in the model

Roughly speaking, equivalent to the disjunction of instantiations of P

- $(\text{At}(\text{KingJohn}, \text{Stanford}) \wedge \text{Smart}(\text{KingJohn}))$
- $\vee (\text{At}(\text{Richard}, \text{Stanford}) \wedge \text{Smart}(\text{Richard}))$
- $\vee (\text{At}(\text{Stanford}, \text{Stanford}) \wedge \text{Smart}(\text{Stanford}))$
- $\vee \dots$

Properties of quantifiers

$\forall x \forall y$ is the same as $\forall y \forall x$ (why?)

$\exists x \exists y$ is the same as $\exists y \exists x$ (why?)

$\exists x \forall y$ is **not** the same as $\forall y \exists x$

$\exists x \forall y \text{ Loves}(x, y)$

“There is a person who loves everyone in the world”

$\forall y \exists x \text{ Loves}(x, y)$

“Everyone in the world is loved by at least one person”

Quantifier duality: each can be expressed using the other

$\forall x \text{ Likes}(x, \text{IceCream}) \quad \neg \exists x \neg \text{Likes}(x, \text{IceCream})$

$\exists x \text{ Likes}(x, \text{Broccoli}) \quad \neg \forall x \neg \text{Likes}(x, \text{Broccoli})$

From English prepositions to FOL connectives

| English | Logic |
|---|---|
| A and B A but B | $A \wedge B$ |
| A if B A when B A whenever B | $B \Rightarrow A$ |
| if A, then B A implies B A forces B | $A \Rightarrow B$ |
| only if A, B B only if A | $B \Rightarrow A$ |
| A precisely when B A if and only if B | $B \Leftrightarrow A$ $A \Leftrightarrow B$ |
| A or B (or both) A unless B | $A \vee B$ (logical or) |
| either A or B (but not both) | $A \oplus B$ (exclusive or) |

A common mistake to avoid

Typically, \Rightarrow is the main connective with \forall

Common mistake: using \wedge as the main connective with \forall :

$$\forall x \text{ } At(x, Berkeley) \wedge Smart(x)$$

means “Everyone is at Berkeley and everyone is smart”

Another common mistake to avoid

Typically, \wedge is the main connective with \exists

Common mistake: using \Rightarrow as the main connective with \exists :

$$\exists x \text{ At}(x, \text{Stanford}) \Rightarrow \text{Smart}(x)$$

is true if there is anyone who is not at Stanford!

Fun with sentences

Brothers are siblings

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y)$$

“Sibling” is symmetric

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y)$$

“Sibling” is symmetric

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x)$$

One's mother is one's female parent

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y)$$

“Sibling” is symmetric

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x)$$

One's mother is one's female parent

$$\forall x, y \text{ Mother}(x, y) \Leftrightarrow (\text{Female}(x) \wedge \text{Parent}(x, y))$$

A first cousin is a child of a parent's sibling

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y)$$

“Sibling” is symmetric

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x)$$

One’s mother is one’s female parent

$$\forall x, y \text{ Mother}(x, y) \Leftrightarrow (\text{Female}(x) \wedge \text{Parent}(x, y))$$

A first cousin is a child of a parent’s sibling

$$\begin{aligned} \forall x_1, x_2 \text{ FirstCousin}(x_1, x_2) \Leftrightarrow \\ \exists p_1, p_2 \text{ Sibling}(p_1, p_2) \wedge \text{Parent}(p_1, x_1) \wedge \text{Parent}(p_2, x_2) \end{aligned}$$

Dogs are mammals

Fun with sentences

Brothers are siblings

$$\forall x, y \text{ Brother}(x, y) \Rightarrow \text{Sibling}(x, y)$$

“Sibling” is symmetric

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow \text{Sibling}(y, x)$$

One’s mother is one’s female parent

$$\forall x, y \text{ Mother}(x, y) \Leftrightarrow (\text{Female}(x) \wedge \text{Parent}(x, y))$$

A first cousin is a child of a parent’s sibling

$$\begin{aligned} \forall x_1, x_2 \text{ FirstCousin}(x_1, x_2) \Leftrightarrow \\ \exists p_1, p_2 \text{ Sibling}(p_1, p_2) \wedge \text{Parent}(p_1, x_1) \wedge \text{Parent}(p_2, x_2) \end{aligned}$$

Dogs are mammals

$$\forall x \text{ Dog}(x) \Rightarrow \text{Mammal}(x)$$

Equality

Recall that $t_1 = t_2$ is true under a given interpretation if and only if t_1 and t_2 refer to the same object

E.g., $1 = 2$ and $x * x = x$ are satisfiable
 $2 = 2$ is valid

E.g., definition of (full) *Sibling* in terms of *Parent*:

$$\forall x, y \text{ Sibling}(x, y) \Leftrightarrow [\neg(x = y) \wedge \exists m, f \neg(m = f) \wedge \text{Parent}(m, x) \wedge \text{Parent}(f, x) \wedge \text{Parent}(m, y) \wedge \text{Parent}(f, y)]$$


More fun with sentences

1. No one is his/her own sibling
2. Sisters are female, brothers are male
3. Every one is male or female but not both
4. Every married person has a spouse
5. Married people have spouses
6. Only married people have spouses
7. People cannot be married to their siblings
8. Not everybody has a spouse
9. Everybody has a mother
10. Everybody has a mother and only one

More fun with sentences

1. $\forall x \neg \text{Sibling}(x, x)$
2. $\forall x, y (\text{Sister}(x, y) \Rightarrow \text{Female}(x) \wedge \text{Female}(y)) \wedge$
 $(\text{Brother}(x, y) \Rightarrow \text{Male}(x) \wedge \text{Male}(y))$
3. $\forall x \text{Person}(x) \Rightarrow (\text{Male}(x) \vee \text{Female}(x)) \wedge$
 $\neg(\text{Male}(x) \wedge \text{Female}(x))$
4. $\forall x (\text{Person}(x) \wedge \text{Married}(x)) \Rightarrow \exists y \text{Spouse}(x, y)$
5. $\forall x (\text{Person}(x) \wedge \text{Married}(x)) \Rightarrow \exists y \text{Spouse}(x, y)$
6. $\forall x, y (\text{Person}(x) \wedge \text{Person}(y) \wedge \text{Spouse}(x, y)) \Rightarrow \text{Married}(x) \wedge \text{Married}(y)$
7. $\forall x, y \text{Spouse}(x, y) \Rightarrow \neg \text{Sibling}(x, y)$
8. $\neg \forall x \text{Person}(x) \Rightarrow \exists y \text{Spouse}(x, y)$
Alter.: $\exists x \text{Person}(x) \wedge \neg \exists y \text{Spouse}(x, y)$
9. $\forall x \text{Person}(x) \Rightarrow \exists y \text{IsMotherOf}(y, x)$
10. $\forall x \text{Person}(x) \Rightarrow \exists y \text{IsMotherOf}(y, x) \wedge$
 $\neg \exists z \neg(y = z) \wedge \text{IsMotherOf}(z, x)$

The Wumpus World in FOL



Interacting with FOL KBs

Suppose a wumpus-world agent is using an FOL KB and perceives a smell and a breeze (but no glitter) at $t = 5$:

$Tell(KB, Percept([Smell, Breeze, None], 5))$

$Ask(KB, Action(a, 5))$

I.e., does the KB entail any particular actions at $t = 5$?

Answer: *Yes*, $\{a/Shoot\}$ ← substitution (binding list)

Given a sentence S and a substitution σ ,
 $\varphi\sigma$ denotes the result of plugging σ into φ

Ex: $\varphi = Smarter(x, y)$ $\sigma = \{x/Bart, y/Homer\}$
 $\varphi\sigma = Smarter(Bart, Homer)$

$AskVar(KB, \varphi)$ returns some/all σ such that $KB \models \varphi\sigma$

Knowledge base for the wumpus world

“Perception”

$\forall b, g, t \text{ Percept}([Smell, b, g], t) \Rightarrow Smelt(t)$

$\forall s, b, t \text{ Percept}([s, b, Glitter], t) \Rightarrow AtGold(t)$

Reflex:

$\forall t \text{ AtGold}(t) \Rightarrow \text{Action}(Grab, t)$

Reflex with internal state: do we have the gold already?

$\forall t \text{ AtGold}(t) \wedge \neg Holding(Gold, t) \Rightarrow \text{Action}(Grab, t)$

Note: $Holding(Gold, t)$ cannot be observed, hence keeping track of change is essential

Deducing hidden properties

Properties of locations:

$$\forall x, t \text{ At}(\text{Agent}, x, t) \wedge \text{Smelt}(t) \Rightarrow \text{Smelly}(x)$$

$$\forall x, t \text{ At}(\text{Agent}, x, t) \wedge \text{Breeze}(t) \Rightarrow \text{Breezy}(x)$$

Squares are breezy near a pit:

- **Diagnostic** rule — infer cause from effect

$$\forall y \text{ Breezy}(y) \Rightarrow \exists x \text{ Pit}(x) \wedge \text{Adjacent}(x, y)$$

- **Causal** rule — infer effect from cause

$$\forall x, y \text{ Pit}(x) \wedge \text{Adjacent}(x, y) \Rightarrow \text{Breezy}(y)$$

- Neither of these is complete — e.g., the causal rule doesn't say whether squares far away from pits can be breezy

- **Definition** for the *Breezy* predicate:

$$\forall y \text{ Breezy}(y) \Leftrightarrow (\exists x \text{ Pit}(x) \wedge \text{Adjacent}(x, y))$$